



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/940,709	08/28/2001	Michael K. Gschwind	YOR9-2001-0602 (8728-546)	5772
22150	7590	06/23/2006	EXAMINER CHOI, WOO H	
F. CHAU & ASSOCIATES, LLC 130 WOODBURY ROAD WOODBURY, NY 11797			ART UNIT 2189	
			PAPER NUMBER	

DATE MAILED: 06/23/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/940,709

Applicant(s)

GSCHWIND ET AL.

Examiner

Woo H. Choi

Art Unit

2189

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 11 April 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-37 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-8 and 10-37 is/are rejected.
- 7) ☐ Claim(s) 9 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Withdrawal of Last Office Action

1. Finality of the last office action mailed November 2, 2005, is withdrawn to fully address the differences between claim 29 and other independent claims. This is a non-final action.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claims 1 – 8, 10 – 20, 22, 23, 25 – 28, 30 – 34, and 37 are rejected under 35 U.S.C. 102(e) as being anticipated by Kumar (US Patent No. 6,678,790).

4. With respect to claims 1 and 2, Kumar discloses a data storage system (figure 1), comprising:

at least one microprocessor (figure 1a, 26); and

a configurable memory (12), integrated with the at least one processor, for servicing the at least one microprocessor in a first mode of operation that emulates a local, non-cache memory and a second mode of operation that emulates a cache (abstract), wherein the configurable memory comprises a memory array in which both tag bits (figure 2, 50) and data bits are stored

Art Unit: 2189

in a single data line (col. 3, lines 32 – 33) in the memory array (figure 1, 12), in the second mode of operation, and

wherein a selection of any of the first mode of operation and the second mode of operation is capable of being overridden by another selection of an other of the first mode of operation and the second mode of operation (col. 2, lines 47 – 51).

The Examiner notes that the limitation added to claim 29 recites an optional feature.

5. With respect to claims 22, 26, 30 and 33, the Examiner notes that each of the added limitations claims a **capability** to select the first mode or the second mode. The do not require actual mode selection based on an address comparison. Kumar's memory supports mode selection. It is capable of supporting a mode selection based on an address comparison.

6. With respect to claim 3, wherein the configurable memory is capable of having either the first mode of operation or the second mode of operation selected at a burn-in time (mode selection is under software control, making the mode selection possible anytime while the system is up and running, including "a burn-in time", i.e. a period of initial operation of a new device).

7. With respect to claim 4, the configurable memory is capable of having either the first mode of operation or the second mode of operation selected at a power-up time (col. 2, lines 51 – 55).

Art Unit: 2189

8. With respect to claim 5, the first mode of operation or the second mode of operation is selected at the power-up time using an external signal (col. 2, lines 51 – 55).

9. With respect to claim 6, the configurable memory is capable of having either the first mode of operation or the second mode of operation selected during a program execution (col. 2, lines 47 – 48).

10. With respect to claim 7, the first mode of operation or the second mode of operation is selected during the program execution based upon a value of a special configuration register (col. 2, lines 47 – 48).

11. With respect to claim 8, the first mode of operation or the second mode of operation is selected during the program execution based upon a value of an external signal (col. 2, lines 48 – 51, control register is loaded by the CPU which is external to the memory).

12. With respect to claims 10 – 14, the configurable memory is **capable** of having either the first mode of operation or the second mode of operation selected based upon a result of comparing a supplied address to a range of addresses. (the claim only require a capability but not actual mode setting based on the addresses, this only requires that the structure can switch modes and can compare addresses, both of which are taught by Kumar),

Dependent claims 11 – 14 relate to the capability discussed above.

Art Unit: 2189

13. With respect to claims 15 and 23, the configurable memory comprises:

a memory array (figure 2, 52); and

memory configuration logic for selecting the first mode of operation or the second mode of operation (figure 1, 16, figure 2, 58).

14. With respect to claim 16, the configurable memory is capable of selecting one of a local memory read mode and a local memory write mode in the first mode of operation and is further capable of selecting one of a cache read mode and a cache write mode in the second mode of operation (read mode, i.e. mode of operation while reading, and write mode, i.e. mode of operation while writing, are inherent in this type of memory, either in cache mode or local memory mode).

15. With respect to claim 17, the selection may be overridden by the other selection dynamically (col. 2, lines 47 – 51).

16. With respect to claim 18, the configurable memory comprises a plurality of static random access memory cells (col. 3, lines 34 – 35).

17. With respect to claim 19, the configurable memory comprises a plurality of dynamic random access memory cells (col. 3, lines 34 – 35).

Art Unit: 2189

18. With respect to claim 20, the configurable memory is capable of being dynamically employed as a sole memory (abstract, main memory) serving the processor and as a portion of a larger, memory hierarchy (abstract, cache, see also col. 1, lines 18 – 24, cache is a portion of a larger memory hierarchy that includes a cache memory and a main memory).

19. With respect to claim 25, the memory system further comprises:

tag match logic for determining a match between the stored tag bits and bits corresponding to a memory access (figure 12, 80, 82); and

at least one multiplexer (44) for selecting and outputting data corresponding to the memory access, when the match is determined.

20. With respect to claims 27, 28, 31, 32, and 34, the at least one microprocessor and the configurable memory array are integrated on a single chip/package (figure 1a, see also col. 2, lines 33 – 35).

21. With respect to claim 37, said integrating step integrates the at least one microprocessor (figure 1b, 26) with the configurable memory based upon a multi-chip (11 and 13) module.

22. Claims 1, 10 – 14 and 21 are rejected under 35 U.S.C. 102(e) as being anticipated by Baltz (US Patent No. 6,321,318).

Art Unit: 2189

23. With respect to claims 1 and 10 – 14, Baltz discloses a memory system on a chip (abstract), comprising:

a configurable memory having a first mode of operation wherein the configurable memory is configured as a cache and a second mode of operation wherein the configurable memory is configured as a local, non-cache memory (abstract), wherein the configurable memory comprises a memory array (figure 9, 30, more specifically, 31 and 32) for storing tag bits and data bits in a single data line in the memory array, in the first mode of operation, wherein the configurable memory is **capable** of having either the first mode of operation or the second mode of operation selected based upon a result of comparing a supplied address to a range of addresses (claims only require a capability but not actual mode setting based on the addresses, this only requires that the structure can switch modes and can compare addresses, both of which are taught by Baltz, additionally, see col. 2, lines 38 – 46).

Dependent claims 11 – 14 relate to the capability discussed above.

24. With respect to claim 21, Baltz discloses that the first mode of operation and the second mode of operation are employed concurrently (col. 9, lines 9 – 10).

25. Claims 29 is rejected under 35 U.S.C. 102(e) as being anticipated by Ramagopal et al. (US Patent No. 6,606,684, hereinafter “Ramagopal”).

Ramagopal discloses a memory system on a chip, comprising:

a processor (102); and

a configurable memory (106) having three modes of operation, a first mode of operation for emulating a local, non-cache memory (col. 4, table 1, memory configuration 0), a second mode of operation for emulating a cache (table 1, memory configuration 3), and a third mode of operation for emulating both the local memory and the cache (memory configuration 2),

wherein any of the three modes of operation **may be** (this is an optional limitation) selected at any given time during a program execution based on comparing a supplied address to at least one address range contained in at least one configuration register.

Claim Rejections - 35 USC § 103

26. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

27. Claim 24 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kumar in view of Sample *et al.* (US Patent No. 6,377,912, hereinafter “Sample”), or in the alternative, in view of Natarajan (US Patent No. 6,611,796).

Kumar discloses all of the limitations of the parent claim as discussed above. However, Kumar does not specifically disclose macro cells to implement memory system. On the other hand, Sample (col. 29, lines 11 – 17, col. 31, lines 27 – 33) and Natarajan (col. 4, lines 16 – 23) disclose the use of macro cells in IC memory chip designs.

It would have been obvious to one of ordinary skill in the art, having the teachings of Kumar and Sample or Natarajan before him at the time the invention was made, to use the design techniques using macros teachings of Sample or Natarajan in the design of Kumar's system, in order to be able to verify electronic circuit designs before fabrication (Sample 16 – 18, Natarajan 23 – 26).

28. Claims 35 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kumar in view of Isaak (US Patent No. 6,426,549).

Kumar discloses all of the limitation of the parent claim as discussed above. However, Kumar does not specifically disclose methods of integrating the claimed memory package using a chip stack and a flip chip techniques. On the other hand, Issak discloses both of these techniques (abstract).

It would have been obvious to one of ordinary skill in the art, having the teachings of Kumar and Isaak before him at the time the invention was made, to use the IC packaging teachings of Isaak to make the configurable memory IC of Kumar, in order to be able to actually produce the memory devices. Isaak's method uses available materials and known process techniques and is suitable for automated production methods (col. 3, lines 49 – 53).

Allowable Subject Matter

29. Claim 9 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Positive recitation of mode selection based on an address range comparison would make all of the independent claims allowable. Alternatively, positive recitation of a “selectable” feature of the claimed structure based on address range comparison would also make the claims allowable.

Response to Arguments

30. Applicant’s argument filed April 11, 2006, regarding Kumar and Baltz, with respect to tag and data being stored in the memory array, is not persuasive. The Examiner agrees with Applicant that Kumar discloses a separate tag array and data array. However, the Examiner does not agree that Kumar does not teach the claimed limitation. The tag array 50 and the data array 52 shown in figure 2 are arrays of memory elements or cells. While it is true that arrays of memory elements are often referred to as memory arrays, it is also true that the term “memory array” is also commonly used to refer to the entire device or a collection of arrays of memory elements that form a larger array that provides memory in an array type of organization (as opposed to other types such as magnetic disks or tapes). This is evident from Applicant’s own figure 1 that identifies the entire device 130 as configurable **memory array**. Kumar and Baltz clearly disclose memory arrays (Kumar 12, Baltz 30) in which both tag and data bits are stored in

Art Unit: 2189

a single data line in the memory array. Moreover, Applicant has not disclosed the details of the box labeled “memory array” 410 in a functional block diagram to be able ascertain whether this array actually consists of a single array of memory cells or multiple separate arrays of memory cells constituting “the memory array”. A logical grouping of functional boxes 50 and 52 in a single functional box labeled “memory array”, without altering any relationship among the functional elements shown in figure 2, also reads on the claimed “memory array”. The Examiner also notes that the claimed “single data line” refers to a logical line, rather than a physical line.

31. Regarding Applicant’s arguments with respect to the claimed “capabilities”, the Examiner disagrees with Applicant that these “features” were not considered. Contrary to Applicant’s assertion, the Examiner has considered these and properly rejected. For example, claim 26 states in part “... mode of operation is capable of being overridden by another selection ...”. Kumar and Balz disclose a mode selection mechanism that is capable of being overridden. In Kumar’s disclosure, mode selection can be overridden by setting/resetting a control bit in the control register 16 under software control. Kumar and Balz also disclose structures that can compare addresses. Both required structural capabilities are disclosed. Kumar’s disclosure places no restriction as to how this control bit can be set ore reset. Therefore, it **can** be set on the basis of address range comparison. As Applicant conceded, the actual act of overriding based comparing an address range is not required. See also **MPEP Section 2114**. “An apparatus claim cover what a device *is*, not what a device *does*” (in this case, not what a device is capable of doing). *Hewlett-Packard Co. v. Bausch & Lomb Inc.*, 909 F.2d 1464, 1469, 15 USPQ2d 1525, 1528 (Fed Cir. 1990). A claim containing a “recitation with respect to the manner in which a

Art Unit: 2189

claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus” if the prior art apparatus teaches all the structural limitations of the claim. *Ex parte Masham*, 21 USPQ 2d 1647 (Bd. Pat. App. & Inter. 1987). Kumar and Baltz disclose all of the structural limitations of the claims.

32. With respect to claim 29, the limitation “may be” in a claim denotes an optional limitation.

Conclusion


33. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Woo H. Choi whose telephone number is (571) 272-4179. The examiner can normally be reached on M-F, 9:00-5:30.

Art Unit: 2189

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Reginald Bragdon can be reached on (571) 272-4204. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Woo H. Choi
June 15, 2006


REGINALD G. BRAGDON
~~EXAMINER~~
Supervisory Patent Examiner